

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM



Page 1

Item ID: D407-667-105

Accept



Setup Start



Revision ID:

Item Name: Crosstube Fwd

Stop



Start Date: 1/12/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: MF

Date: 11-01-11

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D407-667-145	Rev C

100	DOCUMENT CONTROL	0.00							
	DC								
Document Control	Memo	0.00							
	Photocopy bluefile and create labels as per PPP D407-667-105								

11-03-07
11-03-07

110	Packaging	0.00							
	Packaging								
Packaging	Memo	0.00							

11/3/11

120	BENDING MACHINE - CROSSTUBES	0.00							
	CNC Bend 2								
CNC Alpha 160 Bender	Memo	0.00							
	Bend tube as per Dwg D407-667-145 using CNC bender program 407-fw								

11-2-9

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM

Page 2

Item ID: D407-667-105

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

130

QC15- Crosstube Dimensional Check

0.00



QC

Memo

0.00

Sulzer

(40)

Quality Control

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM

Page 3

Item ID: D407-667-105

Accept

Setup Start

Revision ID:

Stop

Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00

Required Date: 1/26/2011 Req'd Qty: 1.00

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date:

Run Start

QC: Date: SPC (Y/N): Date:

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

140

0.00



Crosstubes

Crosstubes

Memo

0.00

Crosstubes

1- scribe batch # inside of cuff

2-Drill pilot holes in tube using drill Jig DT8541 & DT8542 as per Dwg D407-667-145. Drill all (3) top holes use drill table jig DT8577 hole #1,#11 to set up towers, as per QSI0010.

3-Drill and Ream all holes in tube to finish size using drill Jig DT8541 & DT8542 as per Dwg D407-667-145 Check dimensions between holes on all four sides.

4-Flip tube and switch drilling Jigs from right to left, left to right. Locate Jigs off existing holes using "T" pins.

5-Drill pilot holes using drill Jig DT8541 & DT8542 as per Dwg 407-667-145. Drill only the top (2) holes.

6-Drill & ream the top (2) holes to finish size using drill Jig DT8541 & DT8542 as per Dwg D407-667-145

7-Drill Fwd rivet holes using drill Jig DT8787FWD as per Dwg D206-667-145. Note: Fwd side has 3x top holes.

8-Drill Aft rivet holes using drill Jig DT8787AFT as per Dwg D407-667-145.

9-C'sink holes as per Dwg D407-667-145. Allow rivet to sit below surface to compensate for paint.

10-Deburr & Inspect for surface damage. Repair damage within limits as per

BE

11-2-10

11/2/11

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM

Page 4

Item ID: D407-667-105

Accept

Setup Start

Revision ID:

Stop

Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00

Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Dwg D407-667-145

150

Crosstubes Chemical Conversion

0.00



HandFXtube

Memo

0.00

Hand Finishing Crosstubes

3 11/02/11

160

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

Sulorly

170

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

Sulorly

70

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM



Page 5

Item ID: D407-667-105

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180 	Outsource process - NDT per QSI038 4.1	0.00							
Outsource2	Memo	0.00							
Outsource process - NDT	OUTSIDE SERVICE -CROSSTUBES Liquid Penetrant Inspection as per QSI 038 Or Issue P/O: <u>13517</u> LPI as per ASTM 1417 Level 2 Attach copy of NDT results to work order								<u>CX</u> <u>11/02/17</u> <u>①</u>
190 	Packaging	0.00							
Packaging	Memo	0.00							
Packaging	Inspect for transit damage Ensure copy of NDT results attached to work order.								<u>P4/2/12</u> <u>②</u>
200 	QC5- Inspect part completeness to step on W/O	0.00							
QC	Memo	0.00							
Quality Control	Inspect for damage & ensure results are as per Dwg D206-667-145								<u>ml</u> <u>11</u> <u>02</u> <u>22</u> <u>①</u>

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM

Page 6

Item ID: D407-667-105

Accept

Setup Start

Revision ID:

Stop

Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00

Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

210

0.00



SprayPaint
Spray Painting

SprayPaint

Memo

0.00

1-Prime inside and outside crosstube as per QSI 005 4.2

2-Paint outside crosstube with White Imron as per QSI 005 4.2

PRIME:

Start Time: 10:00

Finish Time: 11:00

PAINT:

Start Time: 3:00

Finish Time: 4:00

OK to

PAINT

CP 11.02.22

N/A NO PAINT CP 11.02.11

BT 11-02-23 (x1)

220



QC
Quality Control

QC14- Inspect Spray Paint

0.00

Memo

0.00

Then, Wrap in plastic bag to protect from scratches

OK to

INSPECT

CP 11.02.22

N/A CP 11.02.11

11 02 24 (1)

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM



Page 7

Item ID: D407-667-105

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

230

0.00



Crosstubes

Crosstubes

Crosstubes

Memo

0.00

1-Install support using 0.03" to 0.06" thick layer of magnobond 6398 per QSI 015. Let cure for 12h after installation and prior to packaging. Note: (3) top holes should be facing up.
A/R Magnobond 6398 : 116227 exp: 08/2011

11-02-24

2-Torque clamps to 80-100 in lb

11-03-01

3-Install nut plates as per Dwg D407-667-145. Touch-up rivet heads with Imron paint.

240

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

8/11/07

11-03-01

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM



Page 8

Item ID: D407-667-105

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

250

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

11/3/12

260

QC4- 100% Inspect kits for completeness

0.00



QC

Memo

0.00

Quality Control

ml 11 03 01 ①

270

Packaging

0.00



Packaging

Memo

0.00

Packaging

Identify and pack for shipping as per PPP D407-667-105

Location:

PPP Rev:

S3

11/3/12

Work Order ID 65318

Tuesday, January 11, 2011 10:56:34 AM



Page 9

Item ID: D407-667-105

Accept



Setup Start



Revision ID:

Stop



Item Name: Crosstube Fwd

Start Date: 1/12/2011 Start Qty: 1.00



Cust Item ID:

Required Date: 1/26/2011 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start



QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

280

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/03/08 29
MF
11-03-07

Tuesday, January 11, 2011 10:56:33 AM

Page 1




[illegible]

[REDACTED]

Required Date: 1/26/2011

Required Qty: 1.00

Comments: IPP Rev:F 05.09.01 Add holes for compatibility with Bell Skid tubes KJ/JLM
IPP Rev:G 08-05-16 chg QC6 to QC15 DD verified by:EC
IPP Rev:H 08-06-03 update as per DSI9415 (ECN1198) DD verified by:ec
IPP Rev:I 08-07-14 add (scribe, inside of tube) seq.6 DD verified by:EC
IPP Rev:J 08-07-28 update as per (par 08-013) DD verified by:EC
IPP Rev K 09.01.06 ECN 08-562 EC verified by:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN5-10A  Bolt		Purchased	No			250	Each	191.0000	10	10		11/3/78	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST337				191					
				115589				54					
				115700				137					
AN5-30A  BOLT		Purchased	No			250	Each	100.0000	4	4		11/3/78	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST339				100					
				114941				50					
				116003				50					
AN5-32A  Bolt		Purchased	No			250	Each	226.0000	4	4		11/3/78	
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			
				ST340				226					
				114405				16					
				115016				50					
				115108				50					
				115589				60					
				115698				50					

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Tuesday, January 11, 2011 10:56:33 AM

Page 2

Work Order ID: 65318

Parent Item: D407-667-105

Parent Item Name: Crosstube Fwd

Start Date: 1/12/2011

Required Date: 1/26/2011

Start Qty: 1.00

Required Qty: 1.00

AN960JD516 NAS1149D0563J Purchased

No

250

Each

34.0000

18

18



Washer



M116340

11/3/75

Location

Loc Qty

Loc Code

ST

34

103694

18

107534

12

109287

4

D2873-043

Manufactured

No

230

Each

20.0000

2

2



Nut Plate Assembly



MA 11.03.01

Location

Loc Qty

Loc Code

LG

18

63497

18

ST

2

60981

2

D2873-045

Manufactured

No

230

Each

20.0000

2

2



Nut Plate Assembly



MA 11.03.01

Location

Loc Qty

Loc Code

LG

20

60982

4

63498

16

B# 65132

Rivet: MS20601AD4W10 B# 116186 XH

Tuesday, January 11, 2011 10:56:33 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

Wednesday, February 09, 2011 11:38:57 AM

Page 3

Work Order ID: 65318

Parent Item: D407-667-105

Parent Item Name: Crosstube Fwd



Start Date: 1/12/2011

Required Date: 1/26/2011

Start Qty: 1.00

Required Qty: 1.00

D2891-I Manufactured No 230 Each 39.0000 2 2
2.25 Support



BT 11-02-24

Location	Loc Qty	Loc Code
LG	39	
50952	9	
53773	20	
62595	10	

D3595-063-395 Manufactured No 230 Each 115.0000 4 4
RUBBER CUSHION



BT 11-02-24

Location	Loc Qty	Loc Code
FP	10	
44667	10	
ST	105	
63368	45	
65361	60	

D407-667-105TRN Manufactured No 110 Each 2.0000 1 1
Crosstube Turning Detail



SAD

11-02-09

Location	Loc Qty	Loc Code
LG	2	
64961	1	
64962	1	

Wednesday, February 09, 2011 11:38:57 AM

Shop Packet Print

Page 3

Picklist Print

Tuesday, January 11, 2011 10:56:33 AM

Page 4

Work Order ID: 65318

Parent Item: D407-667-105

Parent Item Name: Crosstube Fwd

Start Date: 1/12/2011

Required Date: 1/26/2011

Start Qty: 1.00

Required Qty: 1.00

MS21042L5

Purchased

No

250

Each

1,357.000

4

4



Nut



11/14/11

Location

Loc Qty

Loc Code

ST139

26

114813

26

ST300

1331

115156

5

115594

500

116104

130

116105

496

116548

200

✓

MS21920-20

Purchased

No

230

Each

57.0000

4

4



Clamp (per MIL-DTL-8783C)



35 11.02.24

Location

Loc Qty

Loc Code

LG

57

112624

2

114687

1

115057

4

115736

50

+4

Tuesday, January 11, 2011 10:56:33 AM

Shop Packet Print

Page 4

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Item	Qty -145	Part Number	Description
1	X	D407-667-145	CROSSTUBE ASSEMBLY (407 HIGH FWD)
2	1	D6010-115	CROSSTUBE
3	2	D2873-043	NUT PLATE
4	2	D2873-045	NUT PLATE
5	2	D2891-1	SUPPORT
6	4	D3595-063-395	RUBBER CUSHION
7	4	MS21920-20	CLAMP (OR MS21920-21)
8	14	MS20601AD4W10	RIVET (OR NAS9302B-4-10)
9	A/R	MAGNOBOND 6398	ROCKWELL SPECIFICATION RBO-120-023 ADHESIVE (TEXTRON/BELL SPEC. 299- 947-100, TYPE II, CLASS 2 ADHESIVE)

GENERAL NOTES:

- MATERIAL: MANUFACTURED FROM D6010-115
FINISHED LENGTH = 113.20±0.020
- FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
PRIME INSIDE AND OUTSIDE PER DART QSI 005 4.2
PAINT OUTSIDE PER DART QSI 005 4.2
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- UNITS: INCHES UNLESS OTHERWISE NOTED.
- BREAK SHARP EDGES: 0.005 TO 0.010 MAX.
- IDENTIFICATION: SCRIBE DART PART NUMBER "D407-667-145" AND BATCH NUMBER ON
INSIDE OF CUFF USING VIBRATING STYLUS.
- WEIGHT: 17.8 lbs
- PART IS SYMMETRIC ABOUT CENTERLINE.
- RUN CUTTER OFF PART WHERE INDICATED. BLEND OUT EDGE LONGITUDINALLY,
TRANSITION SHOULD BE SMOOTH.
- BEND PROGRESSIVELY WITH A MINIMUM OF 6 PASSES. MAXIMUM TUBE FLATTENING DUE
TO BENDING IS 6% BASED ON O.D.
- LIQUID PENETRANT INSPECT OUTSIDE SURFACE OF CROSSTUBE PER QSI 038.
- INSTALL D2891-1 SUPPORT USING 0.03" TO 0.06" THICK LAYER OF MAGNOBOND 6398 PER
QSI 015. LET CURE FOR 12 HOURS AFTER INSTALLATION AND PRIOR TO PACKAGING.
- INSTALL MS21920-20 CLAMPS (OR -21) WITH D3595-063-395 RUBBER CUSHIONS TO SECURE
THE D2891-1 SUPPORT ON TOP SIDE OF THE CROSSTUBE. ENSURE CLAMP MECHANISMS
ARE LOCATED ON CROSSTUBE SUPPORTS.
- EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. THE
OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS
SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT
LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- TORQUE CLAMPS 80 TO 100 IN-LB. ENSURE AT LEAST 1.5 THREADS ARE SHOWING IN
SAFETY AND THAT NUT HAS NOT BOTTOMED-OUT AFTER TORQUING.

C	REVISE GENERAL NOTES/PART LIST (ZN D7-1); REORGANIZED VIEWS AND REFORMATTED DRAWING TO CURRENT STANDARDS. D3595-063-395 WAS D2856-400-694 (ZN D6-2 & A5-2); REMOVED REF. 7 ADD TOLERANCES (ZN C6-3, C4-3, D2-3); RELOCATED FLAG #6 (ZN A8-3) PER NCR 210; MOVED TURNING DETAIL & UPDATED TOLERANCE TO SHEET 4.	RF	08.11.06
B	ADD HOLES AND NUT PLATES FOR COMPATABILITY WITH BHT/AA SKUDTUBES	PH	05.07.26
A	NEW ISSUE	CP	02.05.08
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF	DRAWING NO.	REV. C
CHECKED	RF	D407-667-145	SHEET 1 OF 4
MFG. APPR.	RF	TITLE	SCALE
APPROVED	RF	CROSSTUBE ASS'Y (407 HIGH FWD)	NTS
DE APPR.	RF	COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	08.11.06		


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



DESIGN	9	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	4	DRAWING NO.	REV. C
MFG. APPR.	4	D407-667-145	SHEET 3 OF 4
APPROVED	4	TITLE	SCALE
DE APPR.	4	CROSSTUBE ASSY (407 HIGH FWD)	NTS
DATE	08.11.06	COPYRIGHT © 2002 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries




C TURNING DETAIL



**DETAIL L:
CROSSTUBE CUFF**
NOT TO SCALE



**DETAIL M:
CUFF TRANSITION**
NOT TO SCALE



**DETAIL N:
TAPER RUN-OFF**
NOT TO SCALE

RELEASED
08/11/2006

DESIGN	9	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. C
MFG. APPR.	GP	D407-667-145	SHEET 4 OF 4
APPROVED	THP	TITLE	SCALE
DE APPR.	THP	CROSSTUBE ASS'Y (407 HIGH FWD)	NTS
DATE	08.11.06	<small>COPYRIGHT © 2002 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order: 65318.
Description: Crosstube High Fwd (407)		Part Number: D407-667-105
Inspection Dwg: D407-667-145 Rev: C		Page 1 of 1

Required Dimension	Min	Max
Height	23.41	23.67
1/2 Span	45.81	46.07
Angle	54	56
Total Span	91.63	92.13



Comments

QC15 Inspection	8
Date	11/02/10

Rev	Date	Change	Revised by	Approved
A	07.02.06	New Issue	KJ/JM	
B	09.11.12	Dimensions updated per Dwg Rev C	KJ	

$$\begin{array}{r}
 45.930 \\
 45.930 \\
 \hline
 91.860
 \end{array}$$

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



LIQUID PENETRANT TEST REPORT

P- 15202

PAGE 1 OF 1

CLIENT

ATTENTION

ADDRESS

PROJECT

ITEM(S) EXAMINED

DATE

ACUREN JOB NO.

POWOW NO.

WORK LOCATION

ACCEPTANCE STD.

TIME

AM

PM

DART AERO SPACE
LINDA LACROIX
1230 ABERDEEN ST
HAWKESBURY, ON.

FEB. 17, 2011

TIME

AM

PM

188-11-2038

13517

HAWKESBURY

ASTM 1417/BSI-C88 REV./DATE 2005

CROSS TUBES

F.P.I.

8

JOB DESCRIPTION

PROCEDURE NO. LT-2002 REV./DATE 2008

TECHNIQUE NO. LT-2002 REV./DATE 2008

PART NO.

MATERIAL MODIFIED ALUMINUM THICKNESS VARIOUS

SCOPE

WET FLUORESCENT LIQUID PENETRANT INSPECTION
CALLED OUT ON 100% EXTERNAL.

TEST DETAILS

METHOD	<input checked="" type="checkbox"/> FLUORESCENT	<input type="checkbox"/> VISIBLE	<input checked="" type="checkbox"/> WATER WASH	<input type="checkbox"/> SOLVENT REMOVABLE	<input type="checkbox"/> POST EMULSIFIED
FAMILY BRAND	MAGNA FLUX		BLACK LIGHT S/N	16459	<input checked="" type="checkbox"/> OUTPUT > 1000 μ W/cm ²
PENETRANT	2L 67	MINIMUM DWELL TIME	45	MIN.	<input type="checkbox"/> AMBIENT < 2 fc
PENETRANT REMOVER	H2O	MINIMUM DRY TIME	>10	MIN.	<input type="checkbox"/> OUTPUT > 100 fc @ SURFACE
DEVELOPER	SKD 52	MINIMUM DWELL TIME	10	MIN.	OTHER LAB. NO.
DEVELOPER TYPE	<input checked="" type="checkbox"/> NON AQUEOUS	<input type="checkbox"/> AQUEOUS	<input type="checkbox"/> DRY	LIGHT METER S/N	1096866
					CAL DUE DATE
					OCT 19-2011

TEST SURFACE

SURFACE CONDITION	<input type="checkbox"/> AS GROUND	<input type="checkbox"/> AS WELDED	<input type="checkbox"/> MACHINED	<input type="checkbox"/> SHOT BLASTED	<input type="checkbox"/> CLEAN BARE METAL
SURFACE TEMPERATURE	<input type="checkbox"/> < -4°C/20°F	<input type="checkbox"/> -4°C/20°F TO 10°C/50°F	<input type="checkbox"/> 10°C/50°F TO 52°C/125°F	<input type="checkbox"/> > 52°C/125°F	

RESULTS-

(☐ METRIC ☐ IMPERIAL)

1 - CROSS TUBE - W.C. 65318 ✓
1 - CROSS TUBE - W.C. 65319 ✓
1 - CROSS TUBE - W.O. 65577 ✓
1 - CROSS TUBE - W.O. 65576 ✓
1 - CROSS TUBE - W.C. 65308 ✓
1 - CROSS TUBE - W.C. 65307 ✓
1 - CROSS TUBE - W.C. 66021 ✓
1 - CROSS TUBE - W.O. 66020 ✓

11.02.22

Scope of Services

The agreement of Acuren Group Inc. to perform services extends only to those services provided for in writing. Under no circumstances shall such services extend beyond the performance of the requested services. It is expressly understood that all descriptions, comments and expressions of opinion reflect the opinions or observations of Acuren Group Inc. based on information and assumptions supplied by the owner/operator and are not intended nor can they be construed as representations or warranties. Acuren Group Inc. is not assuming any responsibilities of the owner/operator and the owner/operator retains complete responsibility for the engineering, manufacture, repair and use decisions as a result of the data or other information provided by Acuren Group Inc. In no event shall Acuren Group Inc.'s liability in respect of the services referred to herein exceed the amount paid for such services.

Standard of Care

In performing the services provided, Acuren Group Inc. uses the degree, care and skill ordinarily exercised under similar circumstances by others performing such services in the same or similar locality. No other warranty, expressed or implied, is made or intended by Acuren Group Inc.

SIGNATURES

CLIENT REPRESENTATIVE

Bar Titley

PRINT

SIGNATURE

DTR #

E63243

TECHNICIAN (SIGNATURE):

Mike Houston

1ST TECHNICIAN

2ND TECHNICIAN

NAME (PRINT):

CGSB LEVEL II SNT LEVEL

CGSB REG. NO. 66066

CGSB LEVEL SNT LEVEL

CGSB REG. NO.

REPORT

REVIEWED BY:

NAME

INITIALS

WHITE - CLIENT COPY

CANARY - OFFICE COPY

PINK - TECHNICIAN COPY

GOLD - OFFICE COPY

PT Sept 2005